

[29th August 1961]

காரணம் தாமதமாவதைக் குறைப்பதற்காகத்தான். ரெவின்யூ போர்டு மறுத்தால், அதற்குப் பிறகு அரசாங்கத்திற்கு அப்பீல் செய்யலாம் என்று செய்திருக்கிறோம்.

Work-charged Establishment

* 1470 Q.—SRI V. K. KOTHANDARAMAN (on behalf of SRI K. SATTANATHA KARAYALAR): Will the Hon. the Minister for Revenue be pleased to state—

(a) the categories of workers under the work-charged establishment in the (i) Medical department, (ii) Public Health department; and

(b) the steps taken to provincialise these categories as recommended by the Madras Pay Commission?

THE HON. SRI M. A. MANICKAVELU: (a) Nil, Sir.

(b) Does not arise.

Sulphone

* 1471 Q.—SRI M. S. SELVARAJAN: Will the Hon. the Minister for Revenue be pleased to state—

(a) whether the Government are aware that Sulphone (D.D.S.) a specific drug for the treatment of leprosy is not available; and

(b) the steps taken to tide over the present emergency?

THE HON. SRI M. A. MANICKAVELU: (a) There is a scarcity of the drug in the open market, but sufficient stocks are available in the Government Leprosy Centres.

(b) The Director-General of Health Services and the Medical Stores Depot, Madras, have been instructed to stock sufficient quantities of the drug in the Depot.

SRI A. A. RASHEED: Sir, is the Hon. Minister aware of the fact that some of the life saving drugs are in short supply and if so, will the Government take steps to import these drugs in large quantities?

THE HON. SRI M. A. MANICKAVELU: I want notice about that. The reference here is that a particular drug which is given for leprosy is not available.

SRI M. S. SELVARAJAN: ஸார், இந்த மாத்திரை தற்காலிகமாக வேணும்போது போதிய அளவில் கிடைப்பதற்கு தடை இருக்கக்கூடாது. இப்போது தடை இருப்பதற்கு எனக்குத் தெரிந்த மட்டில் ஒரு குறிப்பிட்ட கம்பெனிதான் இதை இறக்குமதி செய்ய வேண்டுமென்று விதிக்கப்பட்டிருப்பதுதான். அப்படி இல்லாமல் தாராளமாக கிடைப்பதற்கு, யாருக்கும் இறக்குமதி செய்யலாம் என்றே அல்லது குறிப்பிட்ட சில கம்பெனிகள் மட்டுமாவது இறக்குமதி செய்யலாம் என்றே விதியைத் தளர்த்துவதற்கு அரசாங்கம் ஏற்பாடு செய்வார்களா?